


Dentaport ZX – Reliable Apex Location – Perfect Endodontics Curing with High-Powered Parallel Precision

J.MORITA MFG.CORP.









Key product features include the apex locator and optional canal-preparation and light-curing functions. In addition, the multi-joint feature lets you change the function just by changing the handpiece.



Main Features

Modular Root-Canal Treatment Instrument Dentaport ZX

By attaching modules to the Root ZX Module as an apex locator, the dentist can prepare canals and use a LED curing light device.

Multi-Joint Tube

Simply switch handpieces to use whichever function you need.

Compact and Light Handpieces

Both the motor and the handpieces of curing light are ergonomically designed to be well-balanced and fit perfectly in your hand.

Programs

The instrument's programs can store three sets of values simultaneously.

Dentaport ZX – Highlights at a Glance

Apex Locator

Accurate Measurement

The accuracy of the measurement is not affected by the presence or absence of blood, other discharges, electrolytes, saline, tap water or hydrogen peroxide.

No Zero-Adjustment

It is not necessary to set the device on zero before measuring each individual canal.

Automatic Calibration

Automatic calibration ensures accuracy and eliminates the effect of changes in temperature, moisture, etc. inside the canal even during the treatment.

Canal Preparation

Prepare Canals while Simultaneously Taking Measurements

Accurate and precise preparation of the root canal.

Flexibility: 8 Speed Ranges

150, 200, 250, 300, 40<mark>0, 500, 600, 800 rpm</mark>

Five-Function Auto Control System

Auto Apical Reverse Auto Torque Reverse

Auto Start and Stop

Auto Apical Slowdown

Auto Torque Slowdown

LED Curing Light


Powerful Parallel Light Beam, with Intensity 1,000 mW/cm²

Maintains power even at a distance of 10 mm.

Compact Design

It easily reaches even the distal side of molar 7.

Industry-Standard Apex Locator Root ZX Module



Accurate Measurement

The ratio technique used in the instrument provides a highly accurate detection of the file's location. The accuracy of the measurement is not affected by the presence or absence of blood, other discharges, electrolytes, saline, tap water or hydrogen peroxide.

No Zero-Adjustment


It is not necessary to set the device on zero before measuring each individual canal.

Automatic Calibration

Automatic calibration ensures accuracy and eliminates the effect of changes in temperature, moisture, etc. inside the canal, even during the treatment.

Large Color Display

The large color display is easy to read, providing both precision and high contrast. The action of the meter in the display corresponds exactly to the tactile sensation of using the file.







- Large color display
- Colored bar indicator
- 3 Changeable working length dot
- 4 Green indicator for quick recognition of the apex

Changeable Working-Length Dot

The working-length dot is easy to change. It can be changed between 2 and APEX.



Canal-Preparation Instrument

By showing the file position and using 5 automatic control functions, this instrument allows you to prepare canals with accuracy and precision up to any desired point inside the canal – and reduces file jamming and breakage.






Foot Switch for Easy Operation

You can attach the optional foot switch to use it as the micro motor on the dental units. When a root-canal measurement isn't possible, you can activate the motor by the foot switch. The foot switch is especially helpful for preparing the upper part of the root canal.

5 Automatic Control Functions



Accurate preparation **Auto Apical Reverse**


File stops and reverses when it reaches the end of the set working length. You can also set stops manually or adjust the interval between stopping and reversing.





A Smaller, Lighter, Finer Motor Handpiece Ergonomically Designed to Minimize Fingertip Stress

Rotation



Reduced file breakage **Auto Torque Reverse**

File stops and reverses if the torque goes over the set torque limit. Torque limit can be set at 11 levels.


No switch to turn on and off **Auto Start and Stop**

Motor starts when file is inserted and stops when it is withdrawn.

Comfortable Handling

The handpiece is both comfortable and sensitive.

- Weight: only 70 g (approx.)
- Compact head size: only 12.5 mm
- Speed: 150 to 800 rpm with 8 speed ranges



Precise control **Auto Apical Slowdown**

File slows down as it approaches the end of the set working length, ensuring safe and sure preparations.



Reduced file breakage **Auto Torque Slowdown**

File slows down as the torque approaches the set torque limit.




Parallel-Light Beam is Powerful even at a Distance

Even at a distance of 10 mm, the light retains 80% of its power.



In Both Cases, You Will Have enough Adhesion Strength


It can be used for the bonding of the fiber post because of the high power at a distance of 10 mm.







Easily reaches the distal side of molar 7, normally a difficult task for instruments using a light guide.



High-Powered LED Curing Light

A powerful curing light – with intensity 1,000 mW/cm² – that works even at a distance of 10 mm. It delivers an even intensity both in the center and at the edges of the irradiation field. Composite curing time: 20, 10 sec., bonding time: 10 sec.

Set Irradiation Time

Set timer from 5 to 40 seconds in 5 second steps





Light, Compact Handpiece Ergonomic design for optimum performance and handling.

Compact Head Rotates

The light and compact head also rotates for ideal handling inside the oral cavity. Easily reaches molar areas.

- Head diameter: 15.5 mmHead height: 16.0 mm
- Weight: approx. 60 g
- Head rotation: 300°

Perfectly Balanced

Ergonomically designed for optimum handling. The hand-piece is perfectly balanced and designed to fit the hand exactly, so it reduces the stress and load on your fingertips.

Specifications

Root ZX Module Rating: DC 4.5 V Power Comsumption: 0.2 VA

Size: W 105 X D 105 X H 115 mm Weight: approx. 400 g

Canal-Preparation and Curing Light Module


Power consumptions: 20 VA Charger: Rapid Charge Type Size: W 105 X D 127 X H 115 mm Weight: approx. 430 g

Trade name: Dentaport ZX

DP-ZX

Model:

Manufacturer: J. Morita Mfg. Corp.





Diameter: max. 18 mm Length: 165 mm Weight: approx. 70 g (including contra head)







Apex Locator

16

Apex Locator and Canal-Preparation Handpiece

Accessories

1 x handpiece rest 1 x AR spray

1 x AC adapter

(100 V-240 V 50/60 Hz)

12346

Accessories

Root ZX Module Accessories

1 x probe cord

3 x file holders

5 x contrary electrodes 1 x canal-length tester

3 x DC 1.5 VAA battery



Apex Locator and Light Cure

Accessories

1 x handpiece rest

1 x disposable covers

(1 box of 100)

1 x AC adapter

(100 V-240 V 50/60 Hz)

12356



Apex Locator, Canal-Preparation Handpiece and Light Cure

Accessories

1 x handpiece rest

1 x AR spray

1 x disposable covers

(1 box of 100)

1 x AC adapter

(100 V-240 V 50/60 Hz)



Optional **Foot Switch**

Design and specifications are subject to change without notification.

Motor Tri Auto ZX



Cordless Canal-Preparation and Measurement Instrument

This instrument is a cordless handpiece that measures and locates the position of the file tip during preparation for safer and quicker treatment. When used with nickel-titanium files, which have exceptional flexibility, it can prepare even curved canals – which are usually quite difficult to treat.

■ Three Auto Safety Functions

Auto Start and Stop Auto Torque Reverse Auto Apical Reverse

Canal-Measurement Capability

Easy Handling

File tip-location identified by LEDs on handpiece and by audible signal.

■ Battery-Powered Motor eliminates the bother of a cord.

Manufacturer: J. Morita Mfg. Corp.

Related Products

EndoWave nickel-titanium files meet perfectly all the requirements for root-canal preparation with a handpiece. They are optimally designed for use with the Dentaport ZX. Only five files are required for preparation in a straightforward sequence.



Anti-Screwing Design
Unique Safety Tip
Optimum Cutting Edges
Extremely Smooth
Surface Texture



Color-coded rings ensure the correct file can be quickly selected



The EndoWave file system includes two basic procedure kits: Kit A for normal root canals, Kit B for severely curved and narrow root canals

Manufacturer: J. Morita Europe GmbH

For detailed information, please see separate EndoWave leaflet.

Thinking ahead. Focused on life.

In 1916, Junichi Morita started to import products of the leading dental equipment manufacturers into Japan, where demands for modern dentistry were growing. His venturesome attempts of supplying selected products for oral healthcare has grown steadily by receiving valuable support and guidance from the dental profession. His enterprising spirit lives through the decades, and all Morita Group Companies join in continuing to pursue marketing, distribution and services, as well as R&D and manufacturing, in collaboration with world leaders in healthcare products and research organizations.

Diagnostic/Imaging Equipment

Treatment Units

Instruments

Laser Equipment

Laboratory Devices

Educational and Training Systems

Auxiliaries

Developed and Manufactured by

J. MORITA Mfg. Corp.

680 Higashihama Minami-cho, Fushimi-ku, Kyoto, 612-8533 Japan Tel: +81-75-611-2141, Fax: +81-75-622-4595 http://www.jmorita-mfg.com

Distributed by

J. MORITA CORPORATION

33-18, 3-Chome, Tarumi-cho Suita City, Osaka, 564-8650 Japan Tel: +81-6-6380-2525, Fax: +81-6-6380-0585 http://www.asia.morita.com http://www.oceania.morita.com

J. MORITA USA, Inc.

9 Mason Irvine, CA 92618 U.S.A. Tel: +1-949-581-9600, Fax: +1-949-465-1095, http://www.jmoritausa.com

J. MORITA EUROPE GMBH

Justus-von-Liebig-Strasse 27A, D-63128 Dietzenbach, Germany Tel: +49-6074-836-0, Fax: +49-6074-836-299, http://www.jmoritaeurope.com

Siamdent Co., Ltd.

2991/42 (JMTI Plaza), Visuthanee Hi-Tech Office Park, Ladprao Road, Klongchan, Bangkapi, Bangkok 10240, Thailand Tel: +66-2-370-1346, Fax: +66-2-370-1345